CHRIS CHRISTIE

Governor

KIM GUADAGNO

L. Governor



State of New Jersey Office of the Attorney General

DEPARTMENT OF LAW AND PUBLIC SAFETY

DIVISION OF STATE POLICE POST OFFICE BOX 7068

WEST TRENTON, NJ 08628-0068 (609) 882-2000

JEFFREY S. CHIESA Attorney General

COLONEL JOSEPH R. FUENTES Superintendent

CERTIFICATION OF ANALYSIS 0.04 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.0469 to 0.0499 grams per 100 milliliters of solution.

MANUFACTURER: Praceer Safety, Inc.

ANALYSIS DATE: 9/26/2012

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 12H104

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.0487 to 0.0491 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is August 24, 2014.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Porensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Mí M. Alaouic, Ph.D.

Research Scientist

NJSP Office of Forensic Sciences

day of Octuber

"An Internutionally Accredited Agency"

New Jersey Is An Equal Opportunity Employee Printed on Recycled Paper and Recyclebia

