

State of New Jersey Office of the Attorney General

DEPARTMENT OF LAW AND PUBLIC SAFETY DIVISION OF STATE POLICE POST OFFICE BOX 7068 WEST TRENTON, NJ 08628-0068

(609) 882-2000

JOHN J. HOFFMAN Acting Attorney General

COLONEL JOSEPH R. FUENTES Superintendent

KIM GUADAGNO L. Governor

CHRIS CHRISTIE

Gavernor

CERTIFICATION OF ANALYSIS 0.10 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1174 to 0.1246 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc. **ANALYSIS DATE: 10/23/2013**

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 131122

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.1212 to 0.1222 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is September 17, 2015.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

> Ali M. Alaouie, Ph.D. Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 20 day of Octuber, 2013.

"An Internationally Accredited Agency"

New Jersey It An Equal Opportunity Emp Printed on Recyclad Paper and Recyclobia

